

## SAFETY DATA SHEET ARBOOKOL 2150 CURING AGENT

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	ARBOOKOL 2150 CURING AGENT
APPLICATION	Curing agent component of: A two-part sealant Floor joints in heavily trafficked areas. Sealing joints in flat roofs.
SUPPLIER	Adshead Ratcliffe & Co. Ltd. Derby Road, Belper Derbyshire. DE56 1WJ Tel. (+44) 01773 826661 Fax. (+44) 01773 821215 sds@arbo.co.uk
EMERGENCY TELEPHONE	(+44) 01773 826661 (office hours only)

### 2 HAZARDS IDENTIFICATION

Harmful if swallowed. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION Xn;R22. R43. N;R51/53.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
1,3-DIPHENYLGUANIDINE	203-002-1	102-06-7	1-5%	Repr3;R62 Xn;R22 Xi;R36/37/38 N;R51/53
MANGANESE DIOXIDE	215-202-6	1313-13-9	30-60%	Xn;R20/22
THIRAM	205-286-2	137-26-8	1-5%	Xn;R20/22,R48/22 R43 Xi;R36/38 N;R50/53

The Full Text for all R-Phrases are Displayed in Section 16

### 4 FIRST-AID MEASURES

#### GENERAL INFORMATION

In all cases of doubt, or if symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

#### INHALATION

Unlikely route of exposure. Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

#### INGESTION

Immediately rinse mouth and drink plenty of water (200-300 ml). Give milk instead of water if readily available. DO NOT induce vomiting. Get medical attention immediately.

#### SKIN CONTACT

Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

#### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

Water spray, fog or mist. Foam, carbon dioxide or dry powder.

#### SPECIFIC HAZARDS

Toxic gases/vapours/fumes of Nitrous gases (NOx). Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

### 6 ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS

Wear appropriate protective clothing.

**ARBOKOL 2150 CURING AGENT****ENVIRONMENTAL PRECAUTIONS**

Do not allow to enter drains, sewers or watercourses. Avoid release to the environment.

**SPILL CLEAN UP METHODS**

Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.

**7 HANDLING AND STORAGE****USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

**STORAGE PRECAUTIONS**

Store in tightly closed original container in a dry, cool and well-ventilated place.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION****INGREDIENT COMMENTS**

WEL = Workplace Exposure Limits

**PROTECTIVE EQUIPMENT****ENGINEERING MEASURES**

Provide adequate ventilation.

**RESPIRATORY EQUIPMENT**

No specific recommendations.

**HAND PROTECTION**

Use protective gloves.

**EYE PROTECTION**

No specific eye protection noted, but may be required anyway.

**HYGIENE MEASURES**

**DO NOT SMOKE IN WORK AREA!** Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Viscous paste		
COLOUR	Dark brown.		
ODOUR	Mild (or faint).		
SOLUBILITY	Insoluble in water		
RELATIVE DENSITY	1.77 @ 20°C	VISCOSITY	7,000 - 9,000 Ps @ 20°C
FLASH POINT (°C)	> 100		

**10 STABILITY AND REACTIVITY****STABILITY**

Stable under normal temperature conditions.

**CONDITIONS TO AVOID**

Avoid contact with acids and oxidising substances.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrous gases (NO<sub>x</sub>).

**11 TOXICOLOGICAL INFORMATION**

TOXIC DOSE 1 - LD 50	Manganese dioxide: 422 mg/kg (scu-mus)
TOXIC DOSE 2 - LD 50	Manganese dioxide: 45 mg/kg (intravenous rabbit)

**ARBOKOL 2150 CURING AGENT****INGESTION**

Harmful if swallowed. May cause stomach pain or vomiting.

**SKIN CONTACT**

May cause sensitisation by skin contact.

**EYE CONTACT**

May cause irritation to eyes.

**HEALTH WARNINGS**

Product contains: manganese dioxide: which is: poison by intravenous route: moderately toxic. by subcutaneous route.

**ROUTE OF ENTRY**

Ingestion. Skin and/or eye contact.

**MEDICAL CONSIDERATIONS**

Skin disorders and allergies.

**12 ECOLOGICAL INFORMATION****ECOTOXICITY**

The product contains substances which are toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

LC 50, 96 Hrs, FISH mg/l                      Not determined.

**MOBILITY**

The product is insoluble in water.

**13 DISPOSAL CONSIDERATIONS****DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

**WASTE CLASS**

H5 - Harmful

H14 - Ecotoxic

Recommended EWC Code 08 04 10

**14 TRANSPORT INFORMATION**

UK ROAD CLASS	9		
PROPER SHIPPING NAME	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
UN NO. ROAD	3077	UK ROAD PACK GR.	III
ADR CLASS NO.	9	ADR PACK GROUP	III
HAZARD NO. (ADR)	90 Environmentally hazardous substance; miscellaneous dangerous substances.	HAZCHEM CODE	2Z
CEPIC TEC(R) NO.	90GM7-III	RID CLASS NO.	9
RID PACK GROUP	III	UN NO. SEA	3077
IMDG CLASS	9	IMDG PACK GR.	III
EMS	None	UN NO. AIR	3077
AIR CLASS	9	AIR PACK GR.	III

**15 REGULATORY INFORMATION****LABELLING**

## ARBOKOL 2150 CURING AGENT



Harmful



Dangerous for the environment

CONTAINS

MANGANESE DIOXIDE  
THIRAM

RISK PHRASES

R22	Harmful if swallowed.
R43	May cause sensitisation by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY PHRASES

S24	Avoid contact with skin.
S37	Wear suitable gloves.
S61	Avoid release to the environment. Refer to special instructions/safety data sheets.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

GUIDANCE NOTES

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

### 16 OTHER INFORMATION

REVISION COMMENTS

Revised sections: 2, 3,

REVISION DATE 13/11/08

REV. NO./REPL. SDS GENERATED 06/10/05

SDS NO. 10167

RISK PHRASES IN FULL

R20/22	Harmful by inhalation and if swallowed.
R22	Harmful if swallowed.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36/38	Irritating to eyes and skin.
R43	May cause sensitisation by skin contact.
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R62	Possible risk of impaired fertility.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in a process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.